IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with <u>underlining</u> and deleted text with <u>strikethrough</u>. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 1, 10, 12, 14, 15, 18, 22 and 25 in accordance with the following: (Withdrawn claims 6, 7, 23 and 24 are also amended.)


- 1. (CURRENTLY AMENDED) An organic electroluminescent display device comprising: a substrate;
- a first electrode and a second electrode formed on the substrate; and an organic film layer comprising at least one emitting layer between the first electrode and the second electrode.

wherein the emitting layer comprises at least one phosphorescent dopant, and the dopant is represented by L2ML', and wherein the M is a transition metal selected from the group consisting of Ir, Pt, Zn and Os, the L and L' are bidendate ligands coordinated with carbon and nitrogen, and at least one of the L and L' has 15 or more carbon atoms in the ligandand is not a phenylisoquinoline.

- 2. (ORIGINAL)The organic electroluminescent display device according to claim 1, wherein at least one of the L and L' has at least two hexagonal ring structures in the ligand.
- 3. (ORIGINAL)The organic electroluminescent display device according to claim 1, wherein the emitting layer comprises subsidiary pixels of a red emitting layer, a green emitting layer and a blue emitting layer.
- 4. (ORIGINAL)The organic electroluminescent display device according to claim 3, wherein the blue emitting layer is a fluorescent emitting layer.
- 5. (WITHDRAWN) The organic electroluminescent display device according to claim 3, wherein the blue emitting layer comprises the phosphorescent dopant, and any one of the L and L' comprises a dopant having less than 15 carbon atoms in the ligand.


6. (WITHDRAWN) The organic electroluminescent display device according to claim 1, wherein the-L and L' are not identical to each other, and are any one compound selected from the following chemical formulas $\frac{1}{1} + \frac{1}{2} + \frac{1}{2$

Chemical Formula 1




Chemical Formula 2

Chemical Formula 3



Chemical Formula 6



Chemical Formula 9

Chemical Formula 10

Chemical Formula 13

Chemical Formula 14

7. (WITHDRAWN) The organic electroluminescent display device according to claim 1, wherein the L2ML' is a compound represented by the following chemical formulas 16 to 2216 and 21 - 22:

Chemical Formula 16

Chemical Formula 17

Chemical Formula 20

Chemical Formula 21

- 8. (ORIGINAL)The organic electroluminescent display device according to claim 1, wherein the organic film layer further comprises at least one layer selected from a hole injection layer, a hole transport layer, an electron transport layer, an electron injection layer and a hole blocking layer.
- 9. (ORIGINAL)The organic electroluminescent display device according to claim 8, wherein the organic film layer comprises a red emitting layer, a green emitting layer and a blue fluorescent emitting layer, and wherein the hole blocking layer is formed on an upper part of the red emitting layer and the green emitting layer.
- 10. (CURRENTLY AMENDED) The organic electroluminescent display device according to claim 4, wherein the <u>red emitting layer and the green emitting layer are phosphorescent emitting layers and wherein the blue fluorescent emitting layer is formed on an upper part of the red and green phosphorescent emitting layers +over a front surface of the substrate as a common layer.</u>
- 11. (ORIGINAL) The organic electroluminescent display device according to claim 1, wherein the second electrode is a cathode electrode if the first electrode is an anode electrode, and the second electrode is an anode electrode if the first electrode is a cathode electrode.
- 12. (CURRENTLY AMENDED) An organic electroluminescent display device comprising:
 - a substrate:
 - a first electrode and a second electrode formed on the substrate; and an organic film layer comprising at least one emitting layer between the first electrode


and the second electrode,

wherein the emitting layer comprises at least one phosphorescent dopant, and the dopant is represented by L3M, and wherein the M is a transition metal selected from the group consisting of Ir, Pt, Zn and Os, and the L is a bidendate ligand coordinated with carbon and nitrogen, and has 15 or more carbon atoms in the ligand and is not a phenylisoquinoline.

- 13. (ORIGINAL) The organic electroluminescent display device according to claim 12, wherein the L has at least two hexagonal ring structures in the ligand.
- 14. (CURRENTLY AMENDED) The organic electroluminescent display device according to claim 12, wherein the L is any one compound selected from compounds represented by the following chemical formulas 1 to 141 4, 8 9, and 13 14:


Chemical Formula 1

Chemical Formula 2



Chemical Formula 5

Chemical Formula 6



Chemical Formula 9

Chemical Formula 12

Chemical Formula 13


15. (CURRENTLY AMENDED) The organic electroluminescent display device according to claim 12, wherein the L3M is a compound represented by the following chemical formulas 23 to 31 23 – 26 and 30 - 31:

Chemical Formula 23

Chemical Formula 24

Chemical Formula 27

Chemical Formula 31



- 16. (ORIGINAL) The organic electroluminescent display device according to claim 12, wherein the emitting layer comprises a red emitting layer, a green emitting layer and a blue emitting layer to generate red, green and blue colors, respectively, using subsidiary pixels.
- 17. (ORIGINAL) The organic electroluminescent display device according to claim 16, wherein the blue emitting layer is a blue fluorescent emitting layer.
- 18. (CURRENTLY AMENDED) The organic electroluminescent display device according to claim 17, wherein the <u>red emitting layer and the green emitting layer are phosphorescent emitting layers and wherein the blue fluorescent emitting layer is formed on an upper part of the red and green phosphorescent emitting layers over a front surface of the substrate as a common layer.</u>
- 19. (ORIGINAL) The organic electroluminescent display device according to claim 12, wherein the organic film layer further comprises at least one layer selected from a hole injection layer, a hole transport layer, an electron transport layer, an electron injection layer and a hole blocking layer.
- 20. (ORIGINAL) The organic electroluminescent display device according to claim 19, wherein the organic film layer comprises a red emitting layer, a green emitting layer and a blue fluorescent emitting layer, and wherein the hole blocking layer is formed on an upper part of the red emitting layer and the green emitting layer.
- 21. (ORIGINAL) The organic electroluminescent display device according to claim 12, wherein the second electrode is a cathode electrode if the first electrode is an anode electrode, and the second electrode is an anode electrode if the first electrode is a cathode


electrode.

22. (CURRENTLY AMENDED) An emitting compound having a chemical structure of L2ML' or L3M, wherein the-M is a transition metal selected from the group consisting of Ir, Pt, Zn and Os, the-L and L' are bidendate ligands coordinated with carbon and nitrogen, and at least one of the-L and L' has 15 or more carbon atoms in the ligandand is not a phenylisoquinoline.

23. (WITHDRAWN) The emitting compound according to claim 22, wherein the L and L' are not identical to each other and are any one compound of the following chemical formulas—1 to 151 – 4, 8 – 9, and 13 - 14:

Chemical Formula 1

Chemical Formula 2



Chemical Formula 5

Chemical Formula 6

Chemical Formula 10

Chemical Formula 12

Chemical Formula 13


24. (WITHDRAWN) The emitting compound according to claim 22, wherein the-L2ML' is any one compound selected from compounds represented by the following chemical formulas 16 to 2216 and 21 - 22:

Chemical Formula 16

Chemical Formula 19

Chemical Formula 20

25. (CURRENTLY AMENDED) The emitting compound according to claim 22, wherein the L3M is any one compound selected from compounds represented by the following chemical formulas 23 to 3123 – 26 and 30 - 31:



Chemical Formula 26

Chemical Formula 29